


Construction Specifications, Pavement Restorations

- Pavement Restoration - Asphalt over Concrete Model
- Pavement Restoration - Heavy Duty Road Model
- Pavement Restoration - Local Road Model

ROAD SURFACE RESTORATION ASPHALT OVER CONCRETE

NO SCALE



ENGINEER'S NOTES:

- * SUBMIT ALL PERMITS AND FEES AS PER TOWN LAW.
- * CONTRACTOR SHALL CALL "DIG SAFELY, NEW YORK" 1-800-962-7962 AS PER NYS LAW.
- * CONTRACTOR SHALL USE SAFE OPERATION SHEET PILING AS PER OSHA STANDARDS.
- * ALL SUBGRADE SHALL BE MECHANICALLY COMPACTED @ 95% STD. PROCTOR TEST.
- * UNLESS OTHERWISE SPECIFIED BY THE TOWN ENGINEER, BACKFILL MATERIAL SHALL CONFORM TO THIS DETAIL.
- * ALL OPENINGS IN THE PAVEMENT SHALL BE SAW CUT AND SEALED WITH AN APPROVED BITUMINOUS CRACK SEALANT.
- * CONTRACTOR RESPONSIBLE FOR OPENING MAINTENANCE & PROTECTION UNTIL FINAL TOWN APPROVAL.
- * ARRANGE FOR INSPECTION WITH HIGHWAY DEPARTMENT PRIOR TO PLACEMENT OF BACKFILL AND PRIOR TO PLACEMENT OF HOT MIX ASPHALT CONCRETE.

(914) 381-7825 TELEPHONE



TOWN OF MAMARONECK ENGINEERING DEPARTMENT
ROAD SURFACE SPECIFICATIONS

PROPERTY ADDRESS: EMERSON RD & MAPLE HILL DR

OWNER \ CONTRACTOR: CON EDISON GAS OPERATIONS

PERMIT #: 2016

ROAD SURFACE RESTORATION ASPHALT CONCRETE - HEAVY DUTY ROAD

NO SCALE

ENGINEER'S NOTES:

- * SUBMIT ALL PERMITS AND FEES AS PER TOWN LAW.
- * CONTRACTOR SHALL CALL "DIG SAFELY, NEW YORK" 1-800-962-7962 AS PER NYS LAW.
- * CONTRACTOR SHALL USE SAFE OPERATION SHEET PILING AS PER OSHA STANDARDS.
- * ALL SUBGRADE SHALL BE MECHANICALLY COMPACTED @ 95% STD. PROCTOR TEST.
- * UNLESS OTHERWISE SPECIFIED BY THE TOWN ENGINEER, BACKFILL MATERIAL SHALL CONFORM TO THIS DETAIL.
- * ALL OPENINGS IN THE PAVEMENT SHALL BE SAW CUT AND SEALED WITH AN APPROVED BITUMINOUS CRACK SEALANT.
- * CONTRACTOR RESPONSIBLE FOR OPENING MAINTENANCE & PROTECTION UNTIL FINAL TOWN APPROVAL.
- * ARRANGE FOR INSPECTION WITH HIGHWAY DEPARTMENT PRIOR TO PLACEMENT OF BACKFILL AND PRIOR TO PLACEMENT OF HOT MIX ASPHALT CONCRETE.

(914) 381-7825 TELEPHONE




TOWN OF MAMARNECK ENGINEERING DEPARTMENT
ROAD SURFACE SPECIFICATIONS

PROPERTY ADDRESS:

OWNER \ CONTRACTOR:

PERMIT #:



ROAD SURFACE RESTORATION ASPHALT CONCRETE - LOCAL ROAD

NO SCALE

ENGINEER'S NOTES:

- * SUBMIT ALL PERMITS AND FEES AS PER TOWN LAW.
- * CONTRACTOR SHALL CALL "DIG SAFELY, NEW YORK" 1-800-962-7962 AS PER NYS LAW.
- * CONTRACTOR SHALL USE SAFE OPERATION SHEET PILING AS PER OSHA STANDARDS.
- * ALL SUBGRADE SHALL BE MECHANICALLY COMPACTED @ 95% STD. PROCTOR TEST.
- * UNLESS OTHERWISE SPECIFIED BY THE TOWN ENGINEER, BACKFILL MATERIAL SHALL CONFORM TO THIS DETAIL.
- * ALL OPENINGS IN THE PAVEMENT SHALL BE SAW CUT AND SEALED WITH AN APPROVED BITUMINOUS CRACK SEALANT.
- * CONTRACTOR RESPONSIBLE FOR OPENING MAINTENANCE & PROTECTION UNTIL FINAL TOWN APPROVAL.
- * ARRANGE FOR INSPECTION WITH HIGHWAY DEPARTMENT PRIOR TO PLACEMENT OF BACKFILL AND PRIOR TO PLACEMENT OF HOT MIX ASPHALT CONCRETE.

(914) 381-7825 TELEPHONE




TOWN OF MAMARONECK ENGINEERING DEPARTMENT
ROAD SURFACE SPECIFICATIONS

PROPERTY ADDRESS:

OWNER \ CONTRACTOR:

PERMIT #:



DRAWN BY: DG FILE: PAVESLJNG CHECKED BY: MG